L COMPACT STATIONARY CABINET





L3ABD-2418L3C

L3ABD-3442L3C

L COMPACT STATIONARY CABINET

The L Compact Stationary Cabinet has been developed to better meet our customers' needs in terms of dimensions offered, drawer configurations and accessories that fit in a compact cabinet.

The L Compact Stationary Cabinet is 18" wide and comes in two depths (21" and 27") and five heights (24", 28", 30", 34" and 40"). A 2" or 4" painted steel or stainless steel base can also be added to raise the cabinet height slightly or to create more space for feet. With the security system, you can lock all the drawers with a single action.

There are 6 different drawer heights available from 3" to 12", and the drawers can be accessorized with partitions, dividers and plastic bins for optimal organization of your parts. Each drawer has a 100lb. load capacity and an ergonomic, easy-grip handle.

The unique shape of the L drawer is a Rousseau Metal Inc. trademark.

The L Compact Stationary Cabinet is an excellent alternative to the R heavy-duty line. Learn more in the following pages.

THE ROUSSEAU DIFFERENCE



100lb. load capacity per drawer.

100% extension for both drawer depths.



Partitions and dividers are clipped in.



Wide variety of drawer accessories available: fulldepth partitions, dividers, plastic bins, hanging file holders, protective foam, etc.



Central locking on the cabinet housing.



Six drawer heights available: 3", 4", 5", 6", 8"



PRECONFIGURED MODELS - CABINETS

HERE ARE SOME OF OUR MOST POPULAR PRECONFIGURED MODELS OF THE L COMPACT STATIONARY CABINETS

- The doors are factory installed with hinges on the left. They can be installed on the right upon request
- To order a lock on the cabinet housing (for models with more than one drawer) or on the door, add L3 to the end of the product number
- To add an L50 electronic lock to a door or to your L cabinet, see page 31
- 295 To order a cabinet with a 4" base, add C to the end of the product number for a painted steel base or D for a stainless steel base, e.g., L3ABD-2401L3 C for an 18"W×21"D×24"H cabinet, with four drawers, a lock and a 4"H painted steel base

IMPORTANT

Drawer compartments are included in all models. See the table for the number of compartments.

To order drawers without compartments, replace the last two digits of the model number with the next even number up.

e.g., L3ABD-2401 with L3ABD-2402 without



	05 001 101			
NOWRFK	OF COMPA	ARTMENTS	(LAYOUI	CODE)

DRAWER DIMENSIONS	18"W×21"D	18"W×27"D
3"H to 5"H	9 (0206)	9 (0206)
6"H and 8"H	6 (0104)	6 (0104)
12"H	4 (0102)	4 (0102)

24"HIGH (W × D × H)



4 DRAWERS	
L3ABD-2401	18"×21"×24"
L2ABC-2401	10" > 27" > 24"



4 DRAWERS L3ABD-2403 18"×21"×24" L3ABG-2403 18"×27"×24"



([50)

4 DRAWERS L3ABD-2405 18"×21"×24" L3ABG-2405 18"×27"×24"



3 DRAWERS L3ABD-2407 18"×21"×24" L3ABG-2407 18"×27"×24"



4 DRAWERS L3ABD-2409 18"×21"×24" L3ABG-2409 18"×27"×24"



1 DOOR/1 SHELF	
L3ABD-2412	18"×21"×24
L3ABG-2412	18"×27"×24



3 DRAWERS L3ABD-2421 18"×21"×24" L3ABG-2421 18"×27"×24"



3 DRAWERS L3ABD-2415 18"×21"×24" L3ABG-2415 18"×27"×24"



4 DRAWERS	
L3ABD-2417	18"×21"×24"
L3ABG-2417	18"×27"×24"



5 DRAWERS L3ABD-2419 18"×21"×24" L3ABG-2419 18"×27"×24"

28"HIGH (W × D × H)



4 DRAWERS		
L3ABD-2801	18"×21"×28"	
L3ABG-2801	18"×27"×28"	



4 DRAWERS	
L3ABD-2807	18"×21"×28"
L3ABG-2807	18"×27"×28"



2 DRAWERS L3ABD-2809 18"×21"×28" L3ABG-2809_ 18"×27"×28'



3 DRAWERS	
L3ABD-2811	18"×21"×28
L3ABG-2811	18"×27"×28



4 DRAWERS	
L3ABD-2819	18"×21"×28
L3ABG-2819	18"×27"×28



6 DRAWERS	
L3ABD-2821	18"×21"×28"
L3ABG-2821	18"×27"×28"



3 DRAWERS L3ABD-2803 18"×21"×28" L3ABG-2803 18"×27"×28"



2 DOORS / 1 SHELF L3ABD-2828 18"×21"×28" 18"×27"×28" L3ABG-2828



1 DRAWER/1 DOOR L3ABD-2829 18"×21"×28" L3ABG-2829 18"×27"×28"



18"×21"×28"
18"×27"×28"

34"HIGH (W × D × H)











3 DRAWERS	
L3ABD-3403	18"×21"×34"
L3ABG-3403	18"×27"×34"

E DD AWEDS

"×21"×34"
"×27"×34"

1 DRAWER/1 DOOR/1 SHELF L3ABD-3411__ 18"×21"×34" L3ABG-3411_ 18"×27"×34"

5 DRAWERS L3ABD-3415__ 18"×21"×34" L3ABG-3415 18"×27"×34"

5 DRAWERS L3ABD-3419_ 18"×21"×34" L3ABG-3419_ 18"×27"×34"











4 DRAWERS L3ABD-3421 18"×21"×34" L3ABG-3421 18"×27"×34"

6 DRAWERS L3ABD-3405_ 18"×21"×34" L3ABG-3405_ 18"×27"×34"

1 DOOR/1 SHELF L3ABD-3436_ 18"×21"×34" 18"×27"×34"

6 DRAWERS L3ABD-3437 18"×21"×34" L3ABG-3437_ 18"×27"×34"

4 DRAWERS L3ABD-3447_ 18"×21"×34" L3ABG-3447 18"×27"×34"

40"HIGH (W × D × H)












6 DRAWERS L3ABD-4005 18"×21"×40" 18"×27"×40" L3ABG-4005

5 DRAWERS	
L3ABD-4047	18"×21"×40"
L3ABG-4047	18"×27"×40"

8 DRAWERS	
L3ABD-4011	18"×21"×40'
L3ABG-4011	18"×27"×40


4 DRAWERS/1 DOOR/1 SHELF L3ABD-4015_ 18"×21"×40" 18"×27"×40" L3ABG-4015_

3 DRAWERS/1 DOOR L3ABD-4017_ 18"×21"×40" 18"×27"×40" L3ABG-4017_





	5"
	 6"
	 6"
	8"
	 8"







3 DRAWERS	
L3ABD-4007	18"×21"×40"
L3ABG-4007	18"×27"×40"

6 DRAWERS	
L3ABD-4025	18"×21"×40"
L3ABG-4025	18"×27"×40"

18"×21"×40"
18"×27"×40"


6 DRAWERS	
L3ABD-4029	18"×21"×40"
L3ABG-4029	18"×27"×40"


6 DRAWERS 18"×21"×40" L3ABD-4031 L3ABG-4031_ 18"×27"×40"


O DD AVA/EDC

PRECONFIGURED MODELS - DRAWER COMPARTMENTS

DRAWER DIMENSIONS











18" × 21" (W × D) DRAWERS


PARTITIONS AND DIVIDERS
































L__BD-A0425_


PLASTIC BINS














Sold without cut-outs






FOAM/LINERS









TOOL FOAM _BD-J0203




BD-KLR12




PRECONFIGURED MODELS - DRAWER COMPARTMENTS

18" × 27" (W × D) DRAWERS

PARTITIONS AND DIVIDERS




PLASTIC BINS




FOAM/LINERS



PVC LINER L_BG-J0403




PROTECTIVE FOAM L_BG-J0103



TOOL FOAM L_BG-J0203

FILE HOLDERS



ACCESSORIES

SECURITY MECHANISMS

ELECTRONIC LOCK SYSTEM FOR CABINET WITH DRAWERS

ELECTRONIC LOCK FOR DOORS L50

L50






- Electronically locks all drawers in the cabinet at the same time
- No key required
- Up to 20 different users can be programmed
- 4-8 digit access codes
- Simplifies access management to drawers
- To order the complete mechanism with a cabinet with drawers, order an LB00-DDHHL50
- To order as a replacement lock, order an HA60-L50

PRODUCT NO.

L50





- · No key required
- Up to 20 different users can be programmed
- 4-8 digit access codes
- Compatible with LB30 integrated doors
- To order: Add L50 to the door product code, e.g. LB30-1812L50

PRODUCT NO.

L50

NOTE: Cannot be retrofitted.

296

DRAWER LOCK

KA-KD-MK

• Two keys provided with each lock

- Compatible with all drawer dimensions
- The mechanism (covered by a galvanized steel box) requires 3"W ×1"D space inside the drawer
- To order: Add L3 to the product number for the drawer or preconfigured compartment layout e.g., LF31-182106L3
- For replacement parts or to retrofit this mechanism, order an HA51-L3

PRODUCT NO.

L3

An LF91 security panel must be ordered to block access between two drawers and if two different user access rights are required.

CENTRAL LOCKING SYSTEM

L3/LP



L3



- · Locks all drawers in the cabinet at the same time Easy to retrofit

 - The drawer layout can be changed without touching the locking mechanism
 - To order a lock, add L3 to the cabinet housing or preconfigured model number e.g., LA30-182134L3
 - To order a safety hasp, add LP to the cabinet housing product number e.g., LA30-182134LP
 - For replacement parts or to retrofit this mechanism, order an LB00-DDHH__ and specify the type of lock required

PRODUCT NO.

L3	Key lock
LP	Safety hasp

DOOR LOCK

L3/LP

- Two keys provided with each lock
- To order a key lock, add L3 to the door product number e.g., LB30-1812L3
- To order a safety hasp, add LP to the door product number e.g., LB30-1812LP
- For replacement parts or to retrofit this mechanism, order an HA49-L3 or HA49-LP




PRODUCT NO. L3 Key lock LP Safety hasp

NOTE: An LF91 security panel must be ordered to block access between two doors and if two different user access rights are required.

LOCK-IN MECHANISM

· Activated with the right hand by sliding the mechanism with thumb



- Stops drawers from opening on their own
- Easy to retrofit
- To order: Add B to the product number for the drawer or preconfigured compartment layout e.g., LF31-182106B
- For replacement parts or to retrofit this mechanism, order an LY01 and a LY02

PRODUCT NO.

В

End-Users: 1.866.463.4270 Distributors: 1.800.463.4271 31

DRAWER AND HANDLE ACCESSORIES

LF71 HANDLE PROTECTOR LF70 **HANDLE LABELS**



- Clips onto the drawer handle
- Made of transparent plastic
- Protects identification labels from dust, grease and dirt
- Easy to remove

PRODUCT NO. LF70-18



- Labels to be attached to handles under the handle protector (LF70)
- 30 labels per page (10 pages)
- Print your own labels. A template is available on rousseau.com under Information Center > Document

PRODUCT NO.

LF71-425075

HANGING FILE BARS

• For storing hanging files



- Fits both letter and legal sizes
- For 12"H drawers

PRODUCT NO. LG31-18



PVC DRAWER LINER

- · Protects items stored in the drawer
- Non-slip material
- Can be installed under partitions and dividers
- Thickness: 3/32"

PRODUCT NO.	FOR DRAWER
LG40-1821-01	18"W×21"D
LG40-1827-01	18"W×27"D

PROTECTIVE FOAM

LG41

LG31

TOOL FOAM

LG42

LG40



- Protects items stored in the drawer
- Includes one piece of ¼"-thick blue foam

PRODUCT NO.	FOR DRAWER
LG41-1821-01	18"W×21"D
LG41-1827-01	18"W×27"D


NOTE: Partitions and dividers cannot be installed in the same drawer as this foam.



- Oil resistant and non-absorbent
- Includes one piece of ¼"-thick blue foam
- Includes one piece of ½"-thick black foam
- Sold without cut-outs. Can be cut with a utility knife

PRODUCT NO.	FOR DRAWER
LG42-1821-01	18"W×21"D
LG42-1827-01	18"W×27"D





ACCESSORIES

FRONT TO BACK PARTITION



LG02 PLASTIC BIN



RG20



- Divides the drawer along its depth
- Clip system locks dividers in place
- Galvanized steel
- Compatible with RG10 dividers, which can be used to make smaller compartments between each partition
- Compatible with plastic bins and PVC drawer liners

NOMINAL DRAWER	NOMINAL DRAWER DEPTH (ACTUAL)		
HEIGHT (ACTUAL)	21" (18")	27" (24")	
3" (15/₃"H)	LG02-2103	LG02-2703	
4" (25/8"H)	LG02-2104	LG02-2704	
5" (35⁄8"H)	LG02-2105	LG02-2705	
6" (45/8"H)	LG02-2106	LG02-2706	
8" (65/8"H)	LG02-2108	LG02-2708	
12" (85/8"H)	LG02-2110	LG02-2710	



• For easier storing, moving and managing of small parts

- Lightweight and durable
- For 3"H and 4"H drawers
- 45° angled rim for easy identification of bin contents and removal of bins
- Compatible with partitions and dividers
- 6" plastic bins can be subdivided

DIMENSIONS			PRODUCT NO.		
W	D	Н	BIN	PARTITION	DIVIDER
3"	3"	2"	RG20-030302	-	-
4"	3"	2"	RG20-040302	-	-
6"	3"	2"	RG20-060302	RG22-0302	-
6"	6"	2"	RG20-060602	RG22-0602	RG24-0602
3"	3"	3"	RG20-030303	=	-
4"	3"	3"	RG20-040303	-	-
6"	3"	3"	RG20-060303	RG22-0303	-
6"	6"	3"	RG20-060603	RG22-0603	RG24-0603

NOTE: 2"H bins = $1\frac{1}{2}$ " actual height 3"H bins = $2\frac{1}{2}$ " actual height

DRAWER DIVIDER



RG10



- Dividers clip in place
- 45° angled edge for easy identification of compartment contents
- Adjustable in 3" increments (c/c)
- Galvanized steel

	NOMINAL DRAWER HEIGHT (ACTUAL)					
NOMINAL DIVIDER WIDTH	3" (1⁵⁄₅"H)	4" (2%"H)	5" (3%"H)	6" (45%"H)	8" (6%"H)	12" (8%"H)
3"	RG10-03003	RG10-03004	RG10-03005	RG10-03006	RG10-03008	RG10-03010
5"	RG10-05003	RG10-05004	RG10-05005	RG10-05006	RG10-05008	RG10-05010
6"	RG10-06003	RG10-06004	RG10-06005	RG10-06006	RG10-06008	RG10-06010
71/2"	RG10-07503	RG10-07504	RG10-07505	RG10-07506	RG10-07508	RG10-07510
9"	RG10-09003	RG10-09004	RG10-09005	RG10-09006	RG10-09008	RG10-09010
10"	RG10-10003	RG10-10004	RG10-10005	RG10-10006	RG10-10008	RG10-10010
12"	RG10-12003	RG10-12004	RG10-12005	RG10-12006	RG10-12008	RG10-12010
15"	RG10-15003	RG10-15004	RG10-15005	RG10-15006	RG10-15008	RG10-15010



CABINET TOPS

RESISTANT ACRYLIC/PVC PLASTIC LAMINATED TOP

WS08

STEEL TOP WITH RUBBER MAT


RC32



- Ideal for assembly stations or for applications using solvents, oils or other chemical products
- Color: grey
- Premium-quality laminated top
- Excellent chemical resistance (can be in prolonged contact with a substance)
- Superior abrasion resistance compared with standard laminated tops
- Superior impact resistance compared with standard laminated tops
- Attractive appearance
- Thickness: 1½"



- Non-slip rubber surface
- Includes edges on the sides and back
- Height: 1"



RC35



- Acts as a work surface and protects the cabinet from impacts
- Particle board top with stainless steel cover (#4 brushed finish)
- · Excellent corrosion and chemical resistance
- Top complies with CARB regulations on formaldehyde emissions
- Includes welded corners for an attractive appearance
- Thickness: 13/4"

LAMINATED HARDWOOD TOP

WS14

PAINTED STEEL TOP

RC37



- Top for general industrial applications
- Made from varnished hardwood slats
- Includes a 90° radius front edge for extra comfort
- High impact resistance
- Attractive appearance
- Thickness: 1¾"



- Acts as a work surface and protects the cabinet from impacts
- Particle board top with painted steel cover
- Top complies with CARB regulations on formaldehyde emissions
- Includes welded corners for an attractive appearance
- Thickness: 13/4"

PLASTIC LAMINATED TOP

WS16

DISSIPATIVE TOP

WS17



- Top for general use. Ideal for assembly stations, quality control and packaging
- Color: white
- Attractive appearance
- Easy to clean
- Includes a 90° radius front edge for extra comfort
- Thickness: 1½"



- Top for electronics tasks. Ideal for electronics inspection or assembly stations
- Color: white
- Attractive appearance
- Easy to clean
- Includes a 90° radius front edge for extra comfort
- Dissipates electrical charges that can damage electronic components
- The resistance point to point and point to ground is between 10^6 and $10^9~\Omega$
- Thickness: 1½"

NOTE: Grounding accessories are sold separately, see page 171

DIMENSIONS CABINET TOPS STEEL TOP STAINLESS ACRYLIC/PVC LAMINATED PAINTED PLASTIC PLASTIC LAMINATED DISSIPATIVE WITH RUBBER MAT w D HARDWOOD LAMINATED STEEL STEEL 21" WS14-1821A* WS16-1821A* RC32-1821-01 RC35-1821 RC37-1821 18' WS14-1827A* WS16-1827A* RC32-1827-01 RC35-1827 RC37-1827 27 21 WS08-3621A* WS14-3621A* WS16-3621A* WS17-3621A* RC32-3621-01 RC35-3621 RC37-3621 36" 27' WS08-3627A* WS14-3627A* WS16-3627A* WS17-3627A* RC32-3627-01 RC35-3627 RC37-3627 21 WS14-5421A WS16-5421A WS17-5421A* RC35-5421 RC37-5421 WS08-5421A RC32-5421-01 54' RC32-5427-01 WS08-5427A* WS14-5427A* WS16-5427A* WS17-5427A* RC35-5427 RC37-5427 27"

NOTE: * Please check with your Customer Service representative for lead times.

ACCESSORIES

ESD PROTECTION

ESD CABINET

LC50

GROUNDING WRIST STRAP



- Special paint dissipates electrical charges
- Includes a grounding cord and ground wrist strap socket. The cord resistance is $1\mbox{M}\Omega$
- To order a cabinet with ESD protection, please order an LC50-01 grounding kit and specify dissipative paint color Black 090

PRODUCT NO.

LC50-01

NOTE: Contact Customer Service for ESD paint prices.



- · Made of stretch fabric
- Includes a 6" cord with $1M\Omega$ resistance
- Dissipates electric charges that can damage electronic components

PRODUCT NO.

70000320

CONDUCTIVE **PLASTIC BINS**

DISSIPATIVE TOP









BASES

LEVELING GLIDE KIT

LA74

FLOOR ANCHORING KIT

LA76



- Adjusts the height of cabinets 11/4" to 2" on uneven floor surfaces
- Can be installed under cabinets with or without bases
- Includes two brackets and four leveling glides

PRODUCT NO.	WIDTH
LA74-1801	18"



- For anchoring a cabinet (without base) to the floor
- Includes one bolt for concrete floors

PRODUCT NO.	WIDTH
LA76-1801	18"

STACKING CABINETS

STACKING KIT

LA78



- For stacking an L compact cabinet on top of another
- Installs on the bottom of the top cabinet
- Includes two brackets and anchoring hardware

PRODUCT NO.	WIDTH	
LA78-1801	18"	



L3XJD-2802L3

HOUSINGS

L COMPACT CABINET HOUSING

LA30 L COMPACT DRAWER





LF31







- Drawers, shelves and doors can be installed in the housing
- The housing units include knockouts:
- On the top: for stacking an LD75
 Housing for Drawer Unit or another
 LA30 L Compact Cabinet Housing. For the latter, order an LA78 Stacking Kit
- On the sides and back: for assembling cabinets side to side and back to back, or for installing under a work surface.
 For the latter, order RA70 Cabinet Attachment Bars
- A 2" painted or stainless steel base can be added to make cabinet heights of 26", 30", 32", 36" and 42"
- A 4" painted or stainless steel base can be added to make cabinet heights of 28", 32", 34", 38" and 44"
- To order a lock on the housing that locks all drawers at the same time, add <u>L3</u> to the product number, see page <u>31</u>
- To order a safety hasp, add <u>LP</u> to the product number, see page 31
- For factory installation of an electronic lock, order an LB00-DDHH<u>L50</u>, see page 31

PRODUCT NO.	W×D×H
LA30-182124	18"×21"×24"
LA30-182128	18"×21"×28"
LA30-182130	18"×21"×30"
LA30-182134	18"×21"×34"
LA30-182140	18"×21"×40"
LA30-182724	18"×27"×24"
LA30-182728	18"×27"×28"
LA30-182730	18"×27"×30"
LA30-182734	18"×27"×34"
I A30-182740	18"×27"×40"



- 100lb. load capacity, 100% extension
- Vast choice of accessories available to customize the drawer to your storage needs
- Precision ball bearing drawer slides included
- Easy hook-on assembly
- For preconfigured drawer compartment layouts, see pages 29-30
- Drawer heights available: 3", 4", 5", 6", 8" and 12"
- To order: Add the drawer height required to the product number, e.g., LF31-182106
- To order a drawer lock, add <u>L3</u> to the drawer product number, e.g., LF31-182704<u>L3</u>. The mechanism (covered by a galvanized steel box) requires 3"W×1"D space inside the drawer
- To order a drawer lock-in mechanism, add "B" to the drawer product number, e.g., LF31-182103B

PRODUCT NO.	W×D	INSIDE DIM.
LF31-1821	18"×21"	15"×18"
LF31-1827	18"×27"	15"×24"

L 3-SIDES ACCESS ROLL-OUT SHELF

294

KA-KD-MK










- 100lb. load capacity, 100% extension
- Precision ball bearing drawer slides included
- Easy hook-on assembly
- Galvanized steel top with 1½"H back
- Total height: 4"

PRODUCT NO.	W×D	INSIDE DIM.
LF44-1821	18"×21"	15"×18"
LF44-1827	18"×27"	15"×24"

DRAWER AND ROLL-OUT SHELF DIMENSIONS

LA30



COMPONENTS

CABINET BASE

LA85/LA86

HOUSING FOR DRAWER UNIT



- 100lb. load capacity for each drawer in the unit, max. 175lb. per unit
- Compatible with LF31 compact drawers (not included)
- To order: Specify the drawer unit housing depth required, 21" or 27"

PRODUCT NO.	INTERIOR DIM.
LD75-1809	6"
LD75-1812	9"
LD75-1815	12"



• Painted steel: LA85

- Stainless steel: LA86
- Heights available: 2" and 4"
- Recessed 2" from the front to create more space for feet
- Compatible with LA74 Leveling Glide Kit
- To order: Specify the type of steel required, e.g., LA86-182704 for an 18"W×27"D×4"H stainless steel base

PRODUCT NO.	W×D×H
LA182102	18"×21"×2"
LA182104	18"×21"×4"
LA182702	18"×27"×2"
LA182704	18"×27"×4"

NOTE: Not compatible with LA76 Floor Anchoring Kit, LA78 Stacking Kit and casters

DRAWER UNIT COVER

LD76

LD75



 Covers the top of an LD75 Housing for Drawer Unit when it is installed on a work surface


PRODUCT NO.	W×D
LD76-1821	18"×21"
LD76-1827	18"×27"

INTEGRATED DOOR

LB30



KA-KD-MK



- Black plastic recessed handle
- The doors are factory installed with hinges on the left. They can be installed on the right upon request
- An LB24 Adjustable Shelf must be ordered as a storage surface for doors installed above a drawer or another door
- To order a key lock, add <u>L3</u> to the product number
- To order a safety hasp, add <u>LP</u> to the door product number
- To order an electronic lock for doors, add L50 to the product number

PRODUCT NO.	W×H	
LB30-1812	18"×12"	
LB30-1818	18"×18"	
LB30-1820	18"×20"	
LB30-1824	18"×24"	
LB30-1826	18"×26"	
LB30-1830	18"×30"	
LB30-1836	18"×36"	

VERTICAL SECURITY BAR

LB₁₀

LB24



- Locks all drawers in a cabinet with a key or padlock
- The key or safety hasp is located at the top of the bar to facilitate access
- Covers a bank of drawers from 20" to 36" high
- · Easy to assemble
- Installs on the right-hand side
- To order: Specify the type of lock required, <u>LP</u> for a safety hasp or <u>L3</u> for a standard key lock

VEDTICAL



PRODUCT NO.	CABINET HEIGHT	SECURITY BAR HEIGHT
LB10-24A	24"	20"
LB10-28A	28"	24"
LB10-30A	30"	26"
LB10-34A	34"	30"
LB10-40 A	40"	36"

SECURITY PANEL

LF91





- Divides the cabinet up for use by more than one user
- Adjustable in 1" increments c/c
- Must be ordered to:
- Block access between doors
- Block access when a door with lock is installed under a drawer
- Block the space left when a door is installed above a drawerr
- Two security panel versions available for housings with or without a central locking mechanism
- Galvanized steel
- To order: Specify the housing depth, 21" or 27"

PRODUCT NO.	FOR LA30
LF91-1801	With L3/LP on the housing
LF91-1802	Without L3/LP on the housing

ADJUSTABLE SHELF

For storage of bulky items





- Up to 100lb. load capacity, evenly distributed
- Two adjustable shelf versions available for housings with or without a central locking mechanism
- Galvanized steel
- To order: Specify the housing depth, 21" or 27"

PRODUCT NO.	FOR LA30
LB24-1801	With L3/LP/L50 on the housing
LB24-1802	Without L3/LP/L50 on the housing