rousseau

STORAGE SYSTEM

FOR MACHINING TOOLS



TABLE OF CONTENTS

TABLE OF CONTENTS 2

Legend 3

MACHINING TOOL STORAGE SYSTEM 4

MACHINING TOOL RACKS 6

- Shelving . . . 6
- WM Uprights . . . 6
- R Cabinets . . . 6
- TekZone Hutch . . . 6
- Mini-Racking . . . 6
- R2V Cabinet . . . 6
- VTZ Cabinet . . . 6

MOBILE FREESTANDING STATIONS FOR TOOLS 10

- Mobile Freestanding Station for Tools - 36"H . . . 10
- Mobile Freestanding Station for Tools - 54"H . . . 10
- Mobile Repair/Preparation Cabinet for Tools . . . 10

STATIONARY STORAGE FOR TOOLS 11

- Freestanding Station for Tools . . . 11
- R Cabinet with Tool Drawers . . . 11
- Shelving with Drawers . . . 12
- Shelving with Adapters . . . 12
- R2V Cabinet . . . 13
- VTZ Cabinet . . . 14
- Mini-Racking . . . 15

SPIDER® SHELVING SYSTEM 16

- Open Shelving . . . 16
- Closed Shelving . . . 16

Drawers in Shelving 17

- Shelving with 4 Drawers . . . 17
- Shelving with 7 Drawers / Roll-Out Shelf . . . 17
- Shelving with 8 Drawers . . . 17

Drawer Partitioning 17

STORAGE CABINETS, STATIONARY AND MOBILE 18

- High-Density Storage Cabinet . . . 18
- Multi-Drawer Mobile Cabinet . . . 18

WORKSTATION SYSTEM 19

- Temporary Storage Workstation . . . 19
- Mobile Workbench . . . 19
- Maintenance Workstation with Tool Racks . . . 19
- Multi-Purpose Workstation . . . 20

5S STORAGE 21

- Wall-Mounted Panel System . . . 21
- Drawer Accessories . . . 21

MULTITEK CART 22

- Material Handling Cart . . . 22
- Maintenance Cart . . . 22
- Preparation and Control Station . . . 23
- Shelf Accessories . . . 23
- Drawer Accessories . . . 23

THIS BROCHURE FEATURES
THE MOST POPULAR MODELS.
CONTACT US TO FULLY EXPLORE
A WORLD OF POSSIBILITIES

LEGEND

You will find various icons throughout this document. This is what they mean:

- Width
- Depth
- Height
- Capacity
- Drawers
- Drawer Compartments
- Drawer Bank
- Multi-Drawer Banks
- Upper Bank
- Left Bank
- Right Bank
- R2V Vertical Drawer System
- VTZ Vertical Drawer System
- Roll-Out Shelves
- Open Shelving
- Starter
- Add-On
- Closed Shelving
- Starter
- Add-On
- SR Perforated Post
- SH Smooth Finish Post
- Welded Upright
- Shelves
- Adjustable Shelves
- Shelf Dividers
- Plateform Levels
- Steel Decking
- Wire Mesh Decking
- PVC Decking Levels
- Blank PVC Decking
- Casters
- Laminated Wood Surfaces
- Stainless Steel Surfaces
- Painted Steel Surfaces
- Painted Steel Surfaces With Rubber Mat
- Plastic Laminated Surfaces
- True One-Drawer-at-a-Time System
- Integrated Lock-In Mechanism
- Econo Lock-In Mechanism
- Central Lock
- L3 Lock
- LC Lock
- 15A Electrical Outlets
- Quantity
- No Tool Racks
- Tool Rack Quantity
- Blank Tool Rack
- Tool Rack Quantity
- Maximum Tool Quantity
- No Doors
- Solid Doors
- Polycarbonate Doors
- MultiTek Shelf
- MultiTek Roll-Out Shelf
- MultiTek Shelf Quantity
- No Tool Tray
- Tool Tray Quantity
- Blank Tool Tray
- VTZ Vertical Drawers
- R2V Vertical Drawers
- New product

MACHINING TOOL STORAGE SYSTEM

Rousseau's machining tool storage system has been designed to provide maximum protection for your tools while offering optimal storage.

With its original two-level design, the tool rack offers improved support and excellent stability by preventing tools from falling out, even in an inclined position. The tool rack surface is made of sturdy PVC and protects tools against blows, corrosion and spattering molten metal, while allowing for coolant drainage and limiting contact surfaces with the tool.

The tool rack has perforations for Taper, Straight, Sandvik Capto, HSK, KM and VDI tools. The tool rack is also available without perforations.

LIFETIME WARRANTY
The Rousseau drawer rolling mechanism is covered by a lifetime warranty.




ROUSSEAU

MACHINING TOOL RACKS

The tool rack seamlessly integrates into all Rousseau product lines. Its distinctive advantage lies in the rack's resistant PVC extruded design. It can withstand blows and corrosion while allowing fluids to drain away, which prolongs the life of your tools. In addition, the racks feature a tool labeling area for quick and easy identification.

With Rousseau tool racks, you reduce your purchase and refurbishing costs.

SHELVING

Compatible with the following Spider® Shelving: 30"W × 24"D, 36"W × 18"D and 36"W × 24"D with NC51 adapters

WM UPRIGHTS

Installs in 28"W and 34"W WM11, WMA and WM35 frames with NC50 adapters

R CABINET

Compatible with the following RF31/RF32/RF33/RF34/RF35/ RF36 modular drawers: 30"W × 21"D, 36"W × 18"D, 30"W × 24"D, 36"W × 24"D, 30"W × 27"D with NC54 adapters

TEKZONE HUTCH AND MULTITEK CART

Attaches to TekZone Hutch rear utility panels at the desired height

The 23" wide version can be installed on the MultiTek cart by using the RV11 uprights

MINI-RACKING

PVC decks for Mini-Racking for 48"W, 60"W and 72"W Mini-Racking levels available: NC33 and NC34

R2V CABINET

Installs in 24"D and 27"D RL31 drawers. Two wide racks can be placed in 11"W drawers and wider

VTZ CABINET

Installs in 44"D NC60 drawers

SHELVING - WM UPRIGHTS AND FRAMES - CABINETS

DIMENSIONS	30"W TOOL RACK		36"W TOOL RACK	
C/C DIMENSIONS	28" C/C		34" C/C	
ACTUAL DIMENSIONS	25⅞"W × 5"D × 8 1⁄16"H		31⅞"W × 5"D × 8 1⁄16"H	
TOOL TYPE	PRODUCT NO.	NO. OF HOLES	PRODUCT NO.	NO. OF HOLES
Blank rack	NC10-3000	–	NC10-3600	–
Taper 30	NC12-3001	10	NC12-3601	12
Taper 40	NC12-3003	7	NC12-3603	9
Taper 45	NC12-3004	6	NC12-3604	7
Taper 50	NC12-3005	5	NC12-3605	6
¾" Straight	NC12-3010	20	NC12-3610	26
1" Straight	NC12-3011	20	NC12-3611	26
1¼" Straight	NC12-3013	20	NC12-3613	26
1½" Straight	NC12-3015	8	NC12-3615	10
1¾" Straight	NC12-3016	8	NC12-3616	10
2" Straight	NC12-3018	6	NC12-3618	7
2¼" Straight	NC12-3019	6	NC12-3619	7
2½" Straight	NC12-3021	6	NC12-3621	7
C3 Sandvik Capto	NC12-3030	22	NC12-3630	26
C4 Sandvik Capto	NC12-3031	22	NC12-3631	26
C5 Sandvik Capto	NC12-3032	10	NC12-3632	12
C6 Sandvik Capto	NC12-3033	7	NC12-3633	9
C8 Sandvik Capto	NC12-3034	6	NC12-3634	7
HSK 25 (A-C-E)	NC12-3040	22	NC12-3640	26
HSK 32 (A-C-E)	NC12-3041	22	NC12-3641	26
HSK 40 (A-C-E)	NC12-3042	22	NC12-3642	26
HSK 50 (A-C-E)	NC12-3043	10	NC12-3643	12
HSK 63 (A-C-E)	NC12-3044	7	NC12-3644	9
HSK 80 (A-C-E)	NC12-3045	5	NC12-3645	6
HSK 100 (A-C-E)	NC12-3046	4	NC12-3646	5
32 KM	NC12-3050	22	NC12-3650	26
40 KM	NC12-3051	22	NC12-3651	26
50 KM	NC12-3052	10	NC12-3652	12
63 KM	NC12-3053	7	NC12-3653	9
80 KM	NC12-3054	5	NC12-3654	6
VDI 30 mm	NC12-3060	6	NC12-3660	7
VDI 40 mm	NC12-3061	5	NC12-3661	6
VDI 50 mm	NC12-3062	4	NC12-3662	5




NC12



NC10

IMPORTANT

Refer to technical guide N50 for recommended layouts based on tool height and intended use.




NOTE: All our racks are available in a perforated and blank version. The number of tools that a tool rack can hold varies according to tool diameter and the length of extruded surfaces. The number of holes specified in the table indicates the number of perforations per extruded surface.

	TEKZONE HUTCH - MULTITEK CART				MINI-RACKING				
DIMENSIONS	23"W TOOL RACK		29"W TOOL RACK						
ACTUAL DIMENSIONS	23"W × 5"D × 4"H		29"W × 5"D × 4"H		18"D PVC DECK		24"D PVC DECK		
TOOL TYPE	PRODUCT NO.	NO. OF HOLES	PRODUCT NO.	NO. OF HOLES	PRODUCT NO.	NO. OF HOLES	PRODUCT NO.	NO. OF HOLES	TOOL CODE*
Blank rack	NC14-2300	–	NC14-2900	–	NC30-1800	–	NC30-2400	–	00
Taper 30	NC15-2301	10	NC15-2901	12	NC31-1801	8	NC31-2401	10	01
Taper 40	NC15-2303	7	NC15-2903	9	NC31-1803	7	NC31-2403	9	03
Taper 45	NC15-2304	6	NC15-2904	7	NC31-1804	4	NC31-2404	5	04
Taper 50	NC15-2305	5	NC15-2905	6	NC31-1805	4	NC31-2405	5	05
¾" Straight	NC15-2310	20	NC15-2910	26	NC31-1810	14	NC31-2410	18	10
1" Straight	NC15-2311	20	NC15-2911	26	NC31-1811	14	NC31-2411	18	11
1¼" Straight	NC15-2313	20	NC15-2913	26	NC31-1813	14	NC31-2413	18	13
1½" Straight	NC15-2315	8	NC15-2915	10	NC31-1815	5	NC31-2415	7	15
1¾" Straight	NC15-2316	8	NC15-2916	10	NC31-1816	5	NC31-2416	7	16
2" Straight	NC15-2318	6	NC15-2918	7	NC31-1818	4	NC31-2418	5	18
2¼" Straight	NC15-2319	6	NC15-2919	7	NC31-1819	4	NC31-2419	5	19
2½" Straight	NC15-2321	6	NC15-2921	7	NC31-1821	4	NC31-2421	5	21
C3 Sandvik Capto	NC15-2330	22	NC15-2930	26	NC31-1830	18	NC31-2430	24	30
C4 Sandvik Capto	NC15-2331	22	NC15-2931	26	NC31-1831	18	NC31-2431	24	31
C5 Sandvik Capto	NC15-2332	10	NC15-2932	12	NC31-1832	7	NC31-2432	9	32
C6 Sandvik Capto	NC15-2333	7	NC15-2933	9	NC31-1833	7	NC31-2433	9	33
C8 Sandvik Capto	NC15-2334	6	NC15-2934	7	NC31-1834	4	NC31-2434	5	34
HSK 25 (A-C-E)	NC15-2340	22	NC15-2940	26	NC31-1840	18	NC31-2440	24	40
HSK 32 (A-C-E)	NC15-2341	22	NC15-2941	26	NC31-1841	18	NC31-2441	24	41
HSK 40 (A-C-E)	NC15-2342	22	NC15-2942	26	NC31-1842	18	NC31-2442	24	42
HSK 50 (A-C-E)	NC15-2343	10	NC15-2943	12	NC31-1843	8	NC31-2443	10	43
HSK 63 (A-C-E)	NC15-2344	7	NC15-2944	9	NC31-1844	5	NC31-2444	7	44
HSK 80 (A-C-E)	NC15-2345	5	NC15-2945	6	NC31-1845	4	NC31-2445	5	45
HSK 100 (A-C-E)	NC15-2346	4	NC15-2946	5	NC31-1846	3	NC31-2446	4	46
32 KM	NC15-2350	22	NC15-2950	26	NC31-1850	18	NC31-2450	24	50
40 KM	NC15-2351	22	NC15-2951	26	NC31-1851	18	NC31-2451	24	51
50 KM	NC15-2352	10	NC15-2952	12	NC31-1852	8	NC31-2452	10	52
63 KM	NC15-2353	7	NC15-2953	9	NC31-1853	5	NC31-2453	7	53
80 KM	NC15-2354	5	NC15-2954	6	NC31-1854	4	NC31-2454	5	54
VDI 30 mm	NC15-2360	6	NC15-2960	7	NC31-1860	7	NC31-2460	9	60
VDI 40 mm	NC15-2361	5	NC15-2961	6	NC31-1861	4	NC31-2461	5	61
VDI 50 mm	NC15-2362	4	NC15-2962	5	NC31-1862	3	NC31-2462	4	62




NC15



NC14

UPRIGHT ASSEMBLY DEPTHS	TYPE OF SURFACE	UNIT WIDTH	BEAM WIDTH		
		6"	48"	60"	72"
18"	Blank	NC30-1800	NC33-481800	NC33-601800	NC33-721800
	Perforated	NC31-18_ _*	NC34-4818_ _*	NC34-6018_ _*	NC34-7218_ _*
24"	Blank	NC30-2400	NC33-482400	NC33-602400	NC33-722400
	Perforated	NC31-24_ _*	NC34-4824_ _*	NC34-6024_ _*	NC34-7224_ _*

NOTE: * Please add the tool code specified in the Mini-Racking table to complete the perforated surface product number you have selected.



NC33

NC30



NC34

NC31

Multi-level shelving is not recommended if first-level shelving only contains tool racks and two shelves.

	R2V CABINET				VTZ CABINET	
DIMENSIONS	24"D TOOL RACK		27"D TOOL RACK		44"D TOOL RACK	
ACTUAL DIMENSIONS	5"W × 19"D × 2½"H		5"W × 22"D × 2½"H		5⅞"W × 30"D × 3⅛"H	
TOOL TYPE	PRODUCT NO.	NO. OF HOLES	PRODUCT NO.	NO. OF HOLES	PRODUCT NO.	NO. OF HOLES
Blank rack	NC73-2400	–	NC73-2700	–	NC64-0704400	–
Taper 30	NC74-2401	8	NC74-2701	10	NC64-0704401	15
Taper 40	NC74-2403	6	NC74-2703	7	NC64-0704403	11
Taper 45	NC74-2404	5	NC74-2704	6	NC64-0704404	9
Taper 50	NC74-2405	4	NC74-2705	5	NC64-0704405	7
¾" Straight	NC74-2410	18	NC74-2710	20	NC64-0704410	32
1" Straight	NC74-2411	18	NC74-2711	20	NC64-0704411	32
1¼" Straight	NC74-2413	18	NC74-2713	20	NC64-0704413	32
1½" Straight	NC74-2415	7	NC74-2715	8	NC64-0704415	13
1¾" Straight	NC74-2416	7	NC74-2716	8	NC64-0704416	13
2" Straight	NC74-2418	5	NC74-2718	6	NC64-0704418	9
2¼" Straight	NC74-2419	5	NC74-2719	6	NC64-0704419	9
2½" Straight	NC74-2421	5	NC74-2721	6	NC64-0704421	9
C3 Sandvik Capto	NC74-2430	18	NC74-2730	20	NC64-0704430	32
C4 Sandvik Capto	NC74-2431	18	NC74-2731	20	NC64-0704431	32
C5 Sandvik Capto	NC74-2432	8	NC74-2732	10	NC64-0704432	15
C6 Sandvik Capto	NC74-2433	6	NC74-2733	7	NC64-0704433	11
C8 Sandvik Capto	NC74-2434	5	NC74-2734	6	NC64-0704434	9
HSK 25 (A-C-E)	NC74-2440	18	NC74-2740	20	NC64-0704440	32
HSK 32 (A-C-E)	NC74-2441	18	NC74-2741	20	NC64-0704441	32
HSK 40 (A-C-E)	NC74-2442	18	NC74-2742	20	NC64-0704442	32
HSK 50 (A-C-E)	NC74-2443	8	NC74-2743	10	NC64-0704443	15
HSK 63 (A-C-E)	NC74-2444	6	NC74-2744	7	NC64-0704444	11
HSK 80 (A-C-E)	NC74-2445	4	NC74-2745	5	NC64-0704445	7
HSK 100 (A-C-E)	NC74-2446	3	NC74-2746	4	NC64-0704446	6
32 KM	NC74-2450	18	NC74-2750	20	NC64-0704450	32
40 KM	NC74-2451	18	NC74-2751	20	NC64-0704451	32
50 KM	NC74-2452	8	NC74-2752	9	NC64-0704452	15
63 KM	NC74-2453	6	NC74-2753	7	NC64-0704453	11
80 KM	NC74-2454	4	NC74-2754	5	NC64-0704454	7
VDI 30 mm	NC74-2460	5	NC74-2760	6	NC64-0704460	9
VDI 40 mm	NC74-2461	4	NC74-2761	5	NC64-0704461	8
VDI 50 mm	NC74-2462	3	NC74-2762	4	NC64-0704462	6






NC73

NC74




NC64





IMPORTANT

Refer to technical guide N50 for recommended layouts based on tool height and intended use.






Mazak

MOBILE STORAGE FOR TOOLS

Rousseau mobile freestanding stations are designed to optimize your task changes. They make it easy for you to move to a different location while properly protecting your tools.

The mobile stations have ultra-quiet and smooth-rolling polyurethane casters that glide easily even on floors scattered with metal fragments or on greasy surfaces.

The rack's PVC surface protects tools against impacts, corrosion and spattering molten metal. The racks are also tilted 20° for easy handling and access to tools.








MOBILE FREESTANDING STATION FOR TOOLS - 36"H

32"	27"	41¼"	MAX	
Taper 40		56		NCW41000
Taper 50		40		NCW41100
HSK 50		80		NCW41200
HSK 63		56		NCW41300
50 KM		80		NCW41400
63 KM		56		NCW41500
		-		NCW41600
		0		NCW41900



30"	8




4"	440lb

- Includes a shelf with aluminum handle for easier maneuverability
- Ideal for handling tools

MOBILE FREESTANDING STATION FOR TOOLS - 54"H

32"	27"	59¼"	MAX	
Taper 40		84		NCW42000
Taper 50		60		NCW42100
HSK 50		120		NCW42200
HSK 63		84		NCW42300
50 KM		120		NCW42400
63 KM		84		NCW42500
		-		NCW42600
		0		NCW42900



30"	12




4"	440lb

- Includes an aluminum handle for easier maneuverability and a document holder
- For transporting a large number of tools from A to B


MOBILE REPAIR/PREPARATION CABINET FOR TOOLS

36"	24"	61 ½"	MAX	
Taper 40		14		NCM5100
Taper 50		10		NCM5110
HSK 50		20		NCM5120
HSK 63		14		NCM5130
50 KM		20		NCM5140
63 KM		14		NCM8171
		-		NCM8181
		0		NCM5090



30"	2





4"	2	400lb
6"	3	



6"	1100lb

- Superior-quality casters for easier maneuverability
- Easy and safe transportation of tools

Maximum load capacity: 1,200lb. evenly distributed

STATIONARY STORAGE FOR TOOLS

Whether you want to store specialized metalworking equipment (e.g., drill bits, collets, punches, tool holders) or standard tools (e.g., pliers, files, wrenches, sockets), Rousseau offers a wide range of solutions: freestanding stations, modular cabinets, shelving with drawers, R2V cabinet, VTZ cabinet, Mini-Racking, and much more. All these options allow you to find the solution that best meets your specific requirements.


Our range of stationary storage provides effective protection against the kind of corrosion and premature wear that results from unsuitable storage.

Your tools are precious; let Rousseau help you protect them!



FREESTANDING STATION FOR TOOLS - 54"H

32"	27"	54"	MAX	
Taper 40			56	NCW42001
Taper 50			40	NCW42102
HSK 50			80	NCW42201
HSK 63			56	NCW42301
50 KM			80	NCW42401
63 KM			56	NCW42501
⊘			-	NCW42601
			0	NCW42901




30"	☑
30"	8

- Includes 2 plastic bin rails, 2 tiltable shelves and 6 partial dividers
- Keeps your tools safe, secure and within easy reach

NOTE: Red plastic bins are not available from Rousseau.




R CABINET WITH TOOL DRAWERS



30"	7"	3	12	400lb

30"	27"	60"	MAX			
Taper 40			84	NCM0011	NCM0012	NCM0013
Taper 50			60	NCM0061	NCM0062	NCM0063
HSK 50			120	NCM0111	NCM0112	NCM0113
HSK 63			84	NCM0161	NCM0162	NCM0163
50 KM			120	NCM0211	NCM0212	NCM0213
63 KM			84	NCM0261	NCM0262	NCM0263
⊘			-	NCM0945	NCM0946	NCM0947
			0	NCM0091	NCM0092	NCM0093




36"	7"	3	12	400lb

36"	24"	60"	MAX			
Taper 40			108	NCM0017	NCM0018	NCM0019
Taper 50			72	NCM0067	NCM0068	NCM0069
HSK 50			144	NCM0117	NCM0118	NCM0119
HSK 63			108	NCM0167	NCM0168	NCM0169
50 KM			144	NCM0217	NCM0218	NCM0219
63 KM			108	NCM0267	NCM0268	NCM0269
⊘			-	NCM0949	NCM0950	NCM0951
			0	NCM0097	NCM0098	NCM0099


NOTE: If your tool type is not listed in these tables, see page 6 or contact Customer Service.

SHELVING WITH DRAWERS



4-5	1 c/c

						TAPER 40	TAPER 50	HSK 50	HSK 63	50 KM	63 KM		
		75"	4	2		NCS2251	NCS2261	NCS2271	NCS2281	NCS2291	NCS2301	NCS2308	NCS2391
30"	24"	87"	5	4		NCS2252	NCS2262	NCS2272	NCS2282	NCS2292	NCS2302	NCS2307	NCS2392
					MAX	56	40	80	56	80	56	-	0
		75"	4	2		NCS2255	NCS2265	NCS2275	NCS2285	NCS2295	NCS2305	NCS2309	NCS2395
36	24"	87"	5	4		NCS2256	NCS2266	NCS2276	NCS2286	NCS2296	NCS2306	NCS2310	NCS2396
					MAX	72	48	96	72	96	72	-	0



30"	3"	1	-
	4"	2	-
	7"	2	8


400lb

- 3 drawers
  - 1 drawer with groove trays, 3"H
  - 1 drawer with tool foam, 4"H
  - 1 drawer with compartments, 4"H
- Provides full and unrestricted access to the drawer contents




Shelving with drawers must be anchored to the floor.


SHELVING WITH ADAPTERS



3-4	1 c/c



					TAPER 40	TAPER 50	HSK 50	HSK 63	50 KM	63 KM		
					NCS4005	NCS4025	NCS4045	NCS4065	NCS4085	NCS4105	NCS4114	NCS4195
		75"	3	2	NCS4006	NCS4026	NCS4046	NCS4066	NCS4086	NCS4106	NCS4115	NCS4196
				MAX	81	54	108	81	108	81	-	0
36"	18"				NCS4007	NCS4027	NCS4047	NCS4067	NCS4087	NCS4107	NCS4116	NCS4197
		87"	4	4	NCS4008	NCS4028	NCS4048	NCS4068	NCS4088	NCS4108	NCS4117	NCS4198
				MAX	81	54	108	81	108	81	-	0



36"	9

- Choose a model with doors to prevent dust from settling on your tools.



R2V CABINET FOR NC TOOLS

With an R2V storage cabinet you can use the vertical space you have available, which frees up more floor space.


The trays can be adjusted vertically and horizontally in 1" increments c/c to accommodate the height of your tools, and they can support a load of 100lb. Each drawer opens fully and has a 200lb. load capacity.





					MAX	
Taper 40	30"	24"	38"	10	60	NCLDE-380301L3A
		27"	38"	10	70	NCLDG-380301L3A
	36"	24"	38"	12	72	NCLEE-380301L3A
		27"	38"	12	84	NCLEG-380301L3A
Taper 50	30"	24"	38"	10	40	NCLDE-380501L3A
		27"	38"	10	50	NCLDG-380501L3A
	36"	24"	38"	12	48	NCLEE-380501L3A
		27"	38"	12	60	NCLEG-380501L3A
HSK 50	30"	24"	38"	10	80	NCLDE-384301L3A
		27"	38"	10	100	NCLDG-384301L3A
	36"	24"	38"	12	96	NCLEE-384301L3A
		27"	38"	12	120	NCLEG-384301L3A
HSK 63	30"	24"	38"	10	60	NCLDE-384401L3A
		27"	38"	10	70	NCLDG-384401L3A
	36"	24"	38"	12	72	NCLEE-384401L3A
		27"	38"	12	84	NCLEG-384401L3A
50 KM	30"	24"	38"	10	80	NCLDE-385201L3A
		27"	38"	10	90	NCLDG-385201L3A
	36"	24"	38"	12	96	NCLEE-385201L3A
		27"	38"	12	108	NCLEG-385201L3A
63 KM	30"	24"	38"	10	60	NCLDE-385301L3A
		27"	38"	10	70	NCLDG-385301L3A
	36"	24"	38"	12	72	NCLEE-385301L3A
		27"	38"	12	84	NCLEG-385301L3A
	30"	24"	38"	0	-	RL-5HDE38008NA
		27"	38"	0	-	RL-5HDG38008NA
	36"	24"	38"	0	-	RL-5HEE38008NA
		27"	38"	0	-	RL-5HEG38008NA
	30"	24"	38"	10	0	NCLDE-380001L3A
		27"	38"	10	0	NCLDG-380001L3A
	36"	24"	38"	12	0	NCLEE-380001L3A
		27"	38"	12	0	NCLEG-380001L3A


For additional tool trays, see page 8.



The R2V cabinet must be installed on top of an R cabinet of the same width.

IMPORTANT


Refer to technical guide N50 for recommended layouts based on tool height and intended use.



VTZ VERTICAL STORAGE FOR TOOLS

The VTZ (Vertical Tool Zone) can be used to store lots of tools in a relatively small floor area. Each of the drawers features a floor rolling system that supports a 1,000lb. load. The NC trays can be adjusted vertically in ¾" increments c/c to accommodate the height of your tools.








L3 Lock



LC Latch



NCV- ... L3 NCV- ... LC

						MAX	
Taper 40	23½"	44"	62"	3	9	99	NCV-AH620301__
	37½"	44"	62"	5	15	135	NCV-GH620301__
Taper 50	23½"	44"	62"	3	9	63	NCV-AH620501__
	37½"	44"	62"	5	15	105	NCV-GH620501__
HSK 50	23½"	44"	62"	3	9	135	NCV-AH624301__
	37½"	44"	62"	5	15	225	NCV-GH624301__
HSK 63	23½"	44"	62"	3	9	99	NCV-AH624401__
	37½"	44"	62"	5	15	135	NCV-GH624401__
50 KM	23½"	44"	62"	3	9	135	NCV-AH625201__
	37½"	44"	62"	5	15	225	NCV-GH625201__
63 KM	23½"	44"	62"	3	9	99	NCV-AH625301__
	37½"	44"	62"	5	15	135	NCV-GH625301__
	23½"	44"	62"	3	0	-	NCV-AI629901__
	37½"	44"	62"	5	0	-	NCV-GH629901__
	23½"	44"	62"	3	9	0	NCV-AH620001__
	37½"	44"	62"	5	15	0	NCV-GH620001__


For additional tool trays, see page 8.

Designed so it can be moved with a pallet truck or forklift.
The cabinet must be moved without any load in the drawers.

MINI-RACKING FOR TOOLS

With a wide range of dimensions and options available, industrial-quality Rousseau Mini-Racking units offer an efficient way to store bulky items in a scalable system that easily adapts to specific needs. Easy to assemble and built to last, the Spider® Mini-Racking System is ideal for high-density storage of your tools. For example, the option shown here provides quick access to your tools from both the front and rear.





3		1
	75"	1
	87"	2

			TAPER 40	TAPER 50	HSK 50	HSK 63	50 KM	63 KM		
60"	18"	75"	NCS6001	NCS6021	NCS6031	NCS6041	NCS6051	NCS6061	NCS6011	NCS6191
		87"	NCS6002	NCS6022	NCS6032	NCS6042	NCS6052	NCS6062	NCS6012	NCS6192
		MAX	210	120	240	150	240	150	-	0
	24"	75"	NCS6003	NCS6023	NCS6033	NCS6043	NCS6053	NCS6063	NCS6013	NCS6193
		87"	NCS6004	NCS6024	NCS6034	NCS6044	NCS6054	NCS6064	NCS6014	NCS6194
		MAX	270	150	300	210	300	210	-	0
72"	18"	75"	NCS6005	NCS6025	NCS6035	NCS6045	NCS6055	NCS6065	NCS6015	NCS6195
		87"	NCS6006	NCS6026	NCS6036	NCS6046	NCS6056	NCS6066	NCS6016	NCS6196
			250	144	288	180	288	180	-	0
	24"	75"	NCS6007	NCS6027	NCS6037	NCS6047	NCS6057	NCS6067	NCS6017	NCS6197
		87"	NCS6008	NCS6028	NCS6038	NCS6048	NCS6058	NCS6068	NCS6018	NCS6198
		MAX	324	180	360	252	360	252	-	0



SPIDER® SHELVING SYSTEM

Quick to assemble and built for heavy-duty industrial use, the Spider® Shelving System meets all your storage needs. With multiple depth and height combinations to choose from, combined with a wide range of accessories, you can build a layout that will meet both your current and future needs. Assembly is easy: The shelves attach to the posts with four compression clips, so changing the layout is a quick and simple process.

There are many possible configurations. Contact Customer Service for a customized solution.

OPEN SHELVING





SR ... | SH ... | S ... E ... | S... B ... | 5-8 | 1 c/c

			x5	x6	x7	x8	
36"	18"	75"	S_ _ 1002	S_ _ 1008	S_ _ 1014	S_ _ 1020	800lb
		87"	S_ _ 1005	S_ _ 1011	S_ _ 1017	S_ _ 1023	800lb
	24"	75"	S_ _ 1003	S_ _ 1009	S_ _ 1015	S_ _ 1021	625lb
		87"	S_ _ 1006	S_ _ 1012	S_ _ 1018	S_ _ 1024	625lb
48"	18"	75"	S_ _ 1032	S_ _ 1038	S_ _ 1044	S_ _ 1050	575lb
		87"	S_ _ 1035	S_ _ 1041	S_ _ 1047	S_ _ 1053	575lb
	24"	75"	S_ _ 1033	S_ _ 1039	S_ _ 1045	S_ _ 1051	600lb
		87"	S_ _ 1036	S_ _ 1042	S_ _ 1048	S_ _ 1054	600lb

CLOSED SHELVING






SR ... | SH ... | S ... E ... | S... B ... | 5-8 | 1 c/c

			x5	x6	x7	x8	
36"	18"	75"	S_ _ 2002	S_ _ 2008	S_ _ 2014	S_ _ 2020	800lb
		87"	S_ _ 2005	S_ _ 2011	S_ _ 2017	S_ _ 2023	800lb
	24"	75"	S_ _ 2003	S_ _ 2009	S_ _ 2015	S_ _ 2021	625lb
		87"	S_ _ 2006	S_ _ 2012	S_ _ 2018	S_ _ 2024	625lb
48"	18"	75"	S_ _ 2032	S_ _ 2038	S_ _ 2044	S_ _ 2050	575lb
		87"	S_ _ 2035	S_ _ 2041	S_ _ 2047	S_ _ 2053	575lb
	24"	75"	S_ _ 2033	S_ _ 2039	S_ _ 2045	S_ _ 2051	600lb
		87"	S_ _ 2036	S_ _ 2042	S_ _ 2048	S_ _ 2054	600lb

SHELVING WITH DRAWERS

By choosing shelving with drawers, you can store both small and bulky items in the same unit, which means you are maximizing use of your available floor space.










SHELVING WITH 4 DRAWERS


36"	18"	75"	5	R5SEC-751801_
		87"	6	R5SEC-871801_
	24"	75"	5	R5SEE-751801_
		87"	6	R5SEE-871801_
48"	18"	75"	5	R5SHC-751801_
		87"	6	R5SHC-871801_
	24"	75"	5	R5SHE-751801_
		87"	6	R5SHE-871801_




4"	3	400lb
6"	1	

SHELVING WITH 7 DRAWERS / ROLL-OUT SHELF

36"	18"	75"	4	R5SEC-754809_
		87"	5	R5SEC-874809_
	24"	75"	4	R5SEE-754809_
		87"	5	R5SEE-874809_
48"	18"	75"	4	R5SHC-754809_
		87"	5	R5SHC-874809_
	24"	75"	4	R5SHE-754809_
		87"	5	R5SHE-874809_




3"	2	400lb
4"	3	
6"	2	



6"	1	400lb

SHELVING WITH 8 DRAWERS









36"	18"	75"	4	R5SEC-754801_
		87"	5	R5SEC-874801_
	24"	75"	4	R5SEE-754801_
		87"	5	R5SEE-874801_
48"	18"	75"	4	R5SHC-754801_
		87"	5	R5SHC-874801_
	24"	75"	4	R5SHE-754801_
		87"	5	R5SHE-874801_



6"	8	400lb

Shelving with drawers must be anchored to the floor.

DRAWER PARTITIONING

	36" / 18"		36" / 24"		48" / 18"		48" / 24"	
3" – 5"		24		30		32		40
6" – 8"		8		12		10		15

NOTE: For drawers without compartments, replace the last two digits of the product number with the next even number up.

e.g.: R5SEC-751801 With
R5SEC-751802 Without


Rousseau's modular cabinets boast a heavy-duty and distinct design that is ideal for all environments. They are market-leading products thanks to the wide range of dimensions and accessories available, their modular design and, above all, their durability. The drawers have a load capacity of 400lb. each and can be opened to full extension. Each drawer comes subdivided.

LIFETIME WARRANTY
The Rousseau drawer rolling mechanism is covered by a lifetime warranty.



HIGH-DENSITY STORAGE CABINET

48"	24"	60"	R5AHE-5809




3"	1	400lb
5"	1	
6"	3	
8"	2	
12"	1	

- Designed for intensive use, the R Cabinet is perfect for storing tools and parts of all sizes.



MULTI-DRAWER MOBILE CABINET

48"	24"	37 ½"	R5GHE-3025



48"	4"	1		400lb
18"	3"	4		
	4"	1		
	5"	1		
30"	3"	4		
	9"	1		



6"	1100lb

- Superior-quality casters for easier maneuverability

WORKSTATION SYSTEM

We have the perfect customized solution whether you are looking for basic stationary or mobile workstations with or without storage space, or a more comprehensive workstation with multiple accessories.

You will love the versatility of our workstations and their ability to evolve along with your business needs by simply adding accessories, such as LED lights, riser shelves, power feed panels, 5S panels and various holders. With multiple dimension combinations to choose from, you can create a completely customized space that meets the highest standards for ergonomics, safety and security.

And with tool racks installed on WM uprights, you will always have your numerical control tools within easy reach.








MAINTENANCE WORKSTATION WITH TOOL RACKS


60"	30"	82"	MAX	
Taper 40			21	NCW63000
Taper 50			15	NCW63100
HSK 50			30	NCW63200
HSK 63			21	NCW63300
50 KM			30	NCW63400
63 KM			21	NCW63500
			-	NCW63600
			0	NCW63900



30"	☑
3	









18"	21"	3" / 6"	2 / 3	100lb

- Includes 1 LED light, 1 power outlet channel, 1 utility panel, 10 hooks and 2 tiltable shelves
- Ideal for sharpening, calibration and swapping out tools

TEMPORARY STORAGE WORKSTATION

60"	30"	58"	MAX	
Taper 40			14	NCW45000
Taper 50			10	NCW45100
HSK 50			20	NCW45200
HSK 63			14	NCW45500
50 KM			20	NCW45400
63 KM			14	NCW45300
			-	NCW45600
			0	NCW45900



30"	☑
2	



- Includes a painted steel shelf and stringer
- Ideal for daily tasks like tool and parts handling and data processing

MOBILE WORKBENCH

60"	30"	35 ½"	WSW1031






4"	440lb


- For moving your workbench near to machining stations

MULTI-PURPOSE WORKSTATION







10



1 c/c








60" 24"




Shelving with drawers must be anchored to the floor.



				TAPER 40	TAPER 50	HSK 50	HSK 63	50 KM	63 KM		
120"	24"	87"	8	NCS8012	NCS8022	NCS8032	NCS8042	NCS8052	NCS8062	NCS8102	NCS8091
			MAX	91	65	130	91	130	91	-	0




30"	3"	1	400lb
	4"	2	
	7"	2	
	9"	1	




30"	13

				TAPER 40	TAPER 50	HSK 50	HSK 63	50 KM	63 KM		
132"	24"	87"	8	NCS8014	NCS8024	NCS8034	NCS8044	NCS8054	NCS8064	NCS8104	NCS8092
			MAX	108	72	144	108	144	108	-	0




36"	3"	1	400lb
	4"	2	
	7"	2	
	9"	1	



36"	13

Over the years, Rousseau has developed many different storage solutions to meet the standards of the 5S methodology. The aim of this Japanese technique is to continuously improve the work environment. It is designed to achieve better organization and an efficient work environment by ensuring each tool is in the right place, easy to find and well identified.

Furthermore, the storage solutions we offer help you to improve work conditions and morale for employees by reducing the time and energy they spend on unproductive tasks.





WALL-MOUNTED PANEL SYSTEM


Rousseau's 5S multi-purpose panel system can be used to store a broad range of items of different sizes, shapes and weights on a single surface.


Wall-Mounted Panel

16"	18"	WM57-1618
	24"	WM57-1624
	36"	WM57-1636
	48"	WM57-1648
	72"	WM57-1672
24"	18"	WM57-2418
	24"	WM57-2424
	36"	WM57-2436
	48"	WM57-2448
	72"	WM57-2472

Heavy-Duty Hooks

TYPE	SIZE	PRODUCT NO.	
Square	6"	WM9A-06	50 lb
	12"	WM9A-12	
Round	6"	WM9B-06	
	12"	WM9B-12	






Can Holder

6"	3"	4"	WM9D-06
15"	3"	4"	WM9D-15

Long Tool Holder

8"	3"	4"	WM9Q-08



Light-Duty Hooks

TYPE/PACK	SIZE	PRODUCT NO.
Straight hooks / 20	1 ½"D	WM9F-150
Single hooks / 20	1 ½" dia.	WM9G-150
Single hooks / 20	2" dia.	WM9G-200
Double back single hooks / 10	3"D	WM9H-03
Double back single hooks / 10	5"D	WM9H-05
Double back double hooks / 10	3"D	WM9J-03
Double back double hooks / 10	5"D	WM9J-05
Drill holder / 1	5"W × 3½"D	WM9L-01


DRAWER ACCESSORIES


We offer a wide variety of drawer accessories that integrate with each other to help you organize and locate small parts.

TYPE	PRODUCT NO.
Front to back partition	RG00
Side to side partition	RG01
Divider	RG10
Label holder for drawer dividers	RG51
Plastic bins	RG20
Divider for plastic bins	RG22 / RG24
Label holder for plastic bins	RG52
Tool foam	RG42
PVC drawer liner	RG40
Groove trays	RG35 / RG36 / RG39
Handle protector	RF70









MULTITEK CART

The MultiTek Cart provides an ergonomic way to transport and handle items and tools of different sizes. Lightweight and highly durable, it comes with a wide range of configurations and accessories to suit the unique needs of each work activity.


With a maximum load capacity of 600lb. and unrivaled versatility, it is the ideal companion to help you perform your daily tasks.





MATERIAL HANDLING CART

36"	24"	42"	RV-VM4200K109



2"	2
3"	2



5"

- For moving parts and tools over long distances
- Sold non-assembled


MAINTENANCE CART

31"	21"	37"	RV-NH37A2X104L3B










3"	2



4"	2



3"


- Sold assembled




PREPARATION AND CONTROL STATION

31"	21"	54"	MAX	
	Taper 40		7	NRVM-NH420103L3B
	Taper 50		5	NRVM-NH420105L3B
	HSK 50		10	NRVM-NH420143L3B
	HSK 63		7	NRVM-NH420144L3B
	50 KM		10	NRVM-NH420152L3B
	63 KM		7	NRVM-NH420153L3B
			-	NRVM-NH4201L3B
			0	NRVM-NH420100L3B





3"	1	



4"	1	



23"	1	




5"


- Includes utility panels and a document holder
- The inverted top shelf with protective polycarbonate top serves as a work surface
- Sold assembled

SHELF ACCESSORIES

Non-Slip PVC Liner for Shelf



Protective Foam for Shelf



Tool Foam for Shelf



DRAWER ACCESSORIES

PVC Drawer Liner



Protective Foam for Drawer



Tool Foam for Drawer



rousseau®

THINK
INNOVATION
DURABILITY
QUALITY

COMMANDER WAREHOUSE EQUIPMENT LTD.

CELEBRATING 50+ YEARS

CONTACT US

VANCOUVER

119-930 West 1st Street
North Vancouver, BC, V7P 3N4
P: (604) 980-8511
TF: 1 (800) 605-4822

SURREY

5225 192 Street,
Surrey, BC, V3S 8E5
P: (604) 574-5797
TF: 1 (800) 796-8010

VICTORIA

200-535 Yates Street,
Victoria, BC, V8W 2Z6
P: (250) 886-2208
TF: 1 (833) 846-2208

CALGARY

102-1437 47 Ave NE,
Calgary, AB, T2E 6N7
P: (403) 291-3223
TF: 1 (800) 605-4847

EDMONTON

3604 74 Ave NW,
Edmonton, AB, T6B 2P7
P: (780) 468-4395
TF: 1 (800) 580-1089

STANDARD COLORS

Colors may vary slightly from those shown.

Avalanche Blue **055**	Everest Blue **051**	Classic Blue **052**	Midnight Blue **057**	Glossy Sapphire Blue **560**	Glossy EverGreen **1025**	Black **091**
Beige **041**	Frost White **061**	Light Gray **071**	Modern Gray **745**	Charcoal Gray **072**	Glossy Carbon Black **741**	White **616**
Sienna Orange **085**	Flame Red **081**	Glossy Carmine Red **806**	Glossy Cranberry Red **815**	Glossy Yellow **208**	Glossy Black **902**	

ROUSSEAU METAL INC.

105, avenue de Gaspé Ouest
Saint-Jean-Port-Joli (Québec)
G0R 3G0 CANADA

WEBSITE
rousseau.com

CONFIGURATOR
MyModel-r.com

7PN01A00
N01-JN25A