rousseau

STORAGE SYSTEM

FOR BENDING TOOLS



CONTENTS

CONTENT 2

Legend 3

BENDING TOOL STORAGE 4

VTZ CABINETS FOR BENDING TOOLS 6

- Tool Trays . . . 6
- 23 ½"W - 3 drawers . . . 7
- 30 ½"W - 4 drawers . . . 7
- 37 ½"W - 5 drawers . . . 7
- 44 ½"W - 6 drawers . . . 7

R CABINETS FOR BENDING TOOLS 8

- Preconfigured cabinet options . . . 8
- 36"H - Tool drawers . . . 9
- 36"H - Tool drawers and standard drawer . . . 9
- 40"H - Tool drawers . . . 9
- 40"H - Tool drawers and standard drawer . . . 9
- 46"H - Tool drawers . . . 10
- 46"H - Tool drawers and standard drawer . . . 10
- 60"H - Tool drawers . . . 10
- 60"H - Tool drawers and standard drawer . . . 10

R MOBILE CABINETS FOR BENDING TOOLS 11

- Preconfigured cabinet options . . . 11
- Cabinet tops . . . 11
- 37 ½"H - Tool drawers . . . 12
- 37 ½"H - Tool drawers and standard drawer . . . 12
- 41 ½"H - Tool drawers . . . 12
- 41 ½"H - Tool drawers and standard drawer . . . 12

CHANGE CART 13

- Change cart with laminated hardwood top and tool tray . . . 13

DRAWER ACCESSORIES 14

- Extra partitions . . . 14
- Rubber Mat . . . 14
- Bending Tool Trays . . . 15

MULTITEK CARTS 16

- Material Handling cart . . . 16
- Preparation and Control Station . . . 16
- Shelf Accessories . . . 16
- Drawer Accessories . . . 16

STATIONARY CABINETS 17

- Heavy-Duty Cabinets . . . 17
- Heavy-Duty Multi-Drawer Cabinet . . . 17

MOBILE CABINETS 18

- Heavy-Duty Toolbox . . . 18
- Heavy-Duty Multi-Drawer Toolbox . . . 18

WORKSTATION SYSTEMS 19

- Maintenance Station . . . 19
- Side Table . . . 19
- Mobile Side Table . . . 19

THIS BROCHURE FEATURES OUR MOST POPULAR MODELS.

CONTACT US TO FULLY EXPLORE A WORLD OF POSSIBILITIES.

LEGEND

Below are the meanings for the various icons used in this document:


-  Width
-  Depth
-  Actual Depth
-  Height
-  Load Capacity
-  Linear Feet of Storage
-  RF31 Drawers
-  Subdivided Drawers
-  Drawers with NC82 Tool Tray
-  RF62 Drawers
-  Drawer Bank
-  Multi-Drawer Bank
-  Upper Bank
-  Left Bank
-  Right Bank
-  VTZ Drawer System
-  Roll-Out Shelves
-  Casters
-  Laminated Wood Top
-  Stainless Steel Top
-  Painted Steel Top
-  Painted Steel Top with Rubber Mat
-  Plastic Laminate Top
-  True One-Drawer-at-a-Time System
-  Lock-In Mechanism
-  Econo Lock-In Mechanism
-  Central Locking
-  L3 Lock
-  LC Locking
-  15A Electrical Outlets
-  Quantity
-  MultiTek Shelves
-  MultiTek Roll-Out Shelves
-  MultiTek Shelf Quantity
-  No Bending Tool Tray
-  Number of Bending Tool Trays
-  Bending Tool Tray
-  Universal Tray (Tools Flat)
-  Adjustable Tray, 1.0"H Hollow (Tools Upright)
-  Adjustable Tray, 1.5"H Hollow (Tools Upright)
- Number of Hollows

BENDING TOOL STORAGE

Rousseau's bending tool storage system has been designed to provide maximum protection for your punches and dies while offering optimal and ergonomic storage.

Our storage solutions have been engineered for the tools you use, and they take into account the management methods used for storing and transporting them within your company. Our range of solutions are compatible with multiple tool styles: American, European, Wilson WT, Wila NS, Trumpf and more.

Whether you use a system where the tools are stored in a central store then allocated based on the daily production schedule, or each press brake has a toolbox containing the punches and dies needed for specific tasks, we are sure you will find a Rousseau storage solution that meets your needs.






VTZ CABINETS FOR BENDING TOOLS

With VTZ (Vertical Tool Zone) Vertical Storage, you can store many different tools in a relatively small floor area.

The shelves can be adjusted vertically in 3/4" increments c/c to accommodate the height of your tools. They can also support a load of 250lb. Each of the drawers features a floor rolling system that supports a 1,000lb. load in total.

For tool storage, the drawers include a universal tray (flat) and/or adjustable tray (upright). Extra trays can be added as needed.




NOTES: The width of your tools determines the depth of the VTZ cabinet to choose.
Refer to the icon for the usable dimensions you will have for your tools.
Leave sufficient space for gripping your tools.
We recommend 1 ½" on either side of the tool.

TOOL TRAYS

Universal tray

- For storing punches and dies flat.
- 4 3⁄16"W surface in the center for storing tools.
- Can be used to store a variety of items.

44"	**40¼"**	NC62-0704400
48"	**44¼"**	NC62-0704800




NC62-070_ _00


Adjustable trays

- For storing punches and dies upright.
- Can be adjusted to accommodate most tool tangs.
- Includes a fixed central part and two adjustable parts on the sides. The position of the adjustable parts can be adjusted along the width (0.500" to 0.787") based on the tools stored by loosening the screws.
- Includes perforations in the center where the tools middle section can be clipped in if needed.
- Two versions available:
  - o 10 (1.0) : Recommended for American-type tools. Hollow depth: 1.030"
  - o 15 (1.5) : Recommended for European, Wilson WT, Wila NS, Trumpf type tools. Hollow depth: 1.468"


44"	**40¼"**	1.5	NC62-0704415
		1.0	NC62-0704410
48"	**44¼"**	1.5	NC62-0704815
		1.0	NC62-0704810


NOTE: Refer to technical guide N55 to determine the tray best suited to your tool type.





NC62-070_ _10





NC62-070_ _15



L3 Lock

NCB- ... L3



LC Locking

NCB- ... LC









3	23½"	44"	62"		40.25'	NCB-AH620001__
			62"	1.0	40.25'	NCB-AH621001__
			62"	1.5	40.25'	NCB-AH621501__
			62"		40.25'	NCV-AH629901__
		48"	62"		44.25'	NCB-AI620001__
			62"	1.0	44.25'	NCB-AI621001__
			62"	1.5	44.25'	NCB-AI621501__
			62"		44.25'	NCV-AI629901__

4	30½"	44"	62"		53'	NCB-DH620001__
			62"	1.0	53'	NCB-DH621001__
			62"	1.5	53'	NCB-DH621501__
			62"		53'	NCV-DH629901__
		48"	62"		59'	NCB-DI620001__
			62"	1.0	59'	NCB-DI621001__
			62"	1.5	59'	NCB-DI621501__
			62"		59'	NCV-DI629901__

5	37½"	44"	62"		67'	NCB-GH620001__
			62"	1.0	67'	NCB-GH621001__
			62"	1.5	67'	NCB-GH621501__
			62"		67'	NCV-GH629901__
		48"	62"		74'	NCB-GI620001__
			62"	1.0	74'	NCB-GI621001__
			62"	1.5	74'	NCB-GI621501__
			62"		74'	NCV-GI629901__

6	44½"	44"	62"		80.5'	NCB-JH620001__
			62"	1.0	80.5'	NCB-JH621001__
			62"	1.5	80.5'	NCB-JH621501__
			62"		80.5'	NCV-JH629901__
		48"	62"		88.5'	NCB-JI620001__
			62"	1.0	88.5'	NCB-JI621001__
			62"	1.5	88.5'	NCB-JI621501__
			62"	-	88.5'	NCV-JI629901__

R CABINETS FOR BENDING TOOLS

The tools used for bending sheet metal are heavy and come in many different shapes. To store them regardless of their shape, size or weight, we offer a reinforced tool drawer fitted with a structural partition. Extra structural partitions can be added as needed to increase the number of subdivisions inside the drawer (**see page 14**).

To add a top, **see page 11**.

LIFETIME WARRANTY
The Rousseau drawer rolling mechanism is covered by a lifetime warranty.

30"	**25½"**	
36"	**31½"**	
42"	**37½"**	400 lb
48"	**43½"**	
54"	**49½"**	

NOTES : The usable height of each drawer is 1" inch less than its nominal height.


The width of your tools determines the width of the cabinet to choose.

Refer to the icon for the usable dimensions you will have for your tools.


Leave sufficient space for gripping your tools.
We recommend 1 ½" on either side of the tool.


PRECONFIGURED CABINET OPTIONS :

- Tool drawers



- Tool drawers and a standard general-purpose drawer at the bottom









36"H - TOOL DRAWERS

5	4"
2	5"

30"	24"	36"	N5BADE-3401L3
30"	27"	36"	N5BADG-3401L3
36"	24"	36"	N5BAEE-3401L3
36"	27"	36"	N5BAEG-3401L3
42"	24"	36"	N5BAGE-3401L3
42"	27"	36"	N5BAGG-3401L3
48"	24"	36"	N5BAHE-3401L3
48"	27"	36"	N5BAHG-3401L3
54"	24"	36"	N5BAJE-3401L3
54"	27"	36"	N5BAJG-3401L3

36"H - TOOL DRAWERS AND STANDARD DRAWER

5	4"	-
1	-	10"

30"	24"	36"	N5BADE-3402L3
30"	27"	36"	N5BADG-3402L3
36"	24"	36"	N5BAEE-3402L3
36"	27"	36"	N5BAEG-3402L3
42"	24"	36"	N5BAGE-3402L3
42"	27"	36"	N5BAGG-3402L3
48"	24"	36"	N5BAHE-3402L3
48"	27"	36"	N5BAHG-3402L3
54"	24"	36"	N5BAJE-3402L3
54"	27"	36"	N5BAJG-3402L3





40"H - TOOL DRAWERS


6	4"
2	5"

30"	24"	40"	N5BADE-3801L3
30"	27"	40"	N5BADG-3801L3
36"	24"	40"	N5BAEE-3801L3
36"	27"	40"	N5BAEG-3801L3
42"	24"	40"	N5BAGE-3801L3
42"	27"	40"	N5BAGG-3801L3
48"	24"	40"	N5BAHE-3801L3
48"	27"	40"	N5BAHG-3801L3
54"	24"	40"	N5BAJE-3801L3
54"	27"	40"	N5BAJG-3801L3

40"H - TOOL DRAWERS AND STANDARD DRAWER

6	4"	-
1	-	10"

30"	24"	40"	N5BADE-3802L3
30"	27"	40"	N5BADG-3802L3
36"	24"	40"	N5BAEE-3802L3
36"	27"	40"	N5BAEG-3802L3
42"	24"	40"	N5BAGE-3802L3
42"	27"	40"	N5BAGG-3802L3
48"	24"	40"	N5BAHE-3802L3
48"	27"	40"	N5BAHG-3802L3
54"	24"	40"	N5BAJE-3802L3
54"	27"	40"	N5BAJG-3802L3



46"H - TOOL DRAWERS

10	4"

30"	24"	46"	N5BADE-4401L3
30"	27"	46"	N5BADG-4401L3
36"	24"	46"	N5BAEE-4401L3
36"	27"	46"	N5BAEG-4401L3
42"	24"	46"	N5BAGE-4401L3
42"	27"	46"	N5BAGG-4401L3
48"	24"	46"	N5BAHE-4401L3
48"	27"	46"	N5BAHG-4401L3
54"	24"	46"	N5BAJE-4401L3
54"	27"	46"	N5BAJG-4401L3



46"H - TOOL DRAWERS AND STANDARD DRAWER

8	4"	-
1	-	8"


30"	24"	46"	N5BADE-4402L3
30"	27"	46"	N5BADG-4402L3
36"	24"	46"	N5BAEE-4402L3
36"	27"	46"	N5BAEG-4402L3
42"	24"	46"	N5BAGE-4402L3
42"	27"	46"	N5BAGG-4402L3
48"	24"	46"	N5BAHE-4402L3
48"	27"	46"	N5BAHG-4402L3
54"	24"	46"	N5BAJE-4402L3
54"	27"	46"	N5BAJG-4402L3



60"H - TOOL DRAWERS

11	4"
2	5"

30"	24"	60"	N5BADE-5801L3
30"	27"	60"	N5BADG-5801L3
36"	24"	60"	N5BAEE-5801L3
36"	27"	60"	N5BAEG-5801L3
42"	24"	60"	N5BAGE-5801L3
42"	27"	60"	N5BAGG-5801L3
48"	24"	60"	N5BAHE-5801L3
48"	27"	60"	N5BAHG-5801L3
54"	24"	60"	N5BAJE-5801L3
54"	27"	60"	N5BAJG-5801L3



60"H - TOOL DRAWERS AND STANDARD DRAWER

11	4"	-
1	-	10"

30"	24"	60"	N5BADE-5802L3
30"	27"	60"	N5BADG-5802L3
36"	24"	60"	N5BAEE-5802L3
36"	27"	60"	N5BAEG-5802L3
42"	24"	60"	N5BAGE-5802L3
42"	27"	60"	N5BAGG-5802L3
48"	24"	60"	N5BAHE-5802L3
48"	27"	60"	N5BAHG-5802L3
54"	24"	60"	N5BAJE-5802L3
54"	27"	60"	N5BAJG-5802L3

The tools used for bending sheet metal are heavy and come in many different shapes. To store them regardless of their shape, size or weight, we offer a reinforced drawer fitted with a structural partition. Extra structural partitions can be added as needed to increase the number of subdivisions inside the drawer (see page 14).

LIFETIME WARRANTY
The Rousseau drawer rolling mechanism is covered by a lifetime warranty.


30"	**25½"**		
36"	**31½"**		
42"	**37½"**	400 lb	
48"	**43½"**		
54"	**49½"**		

6"


NOTES : The usable height of each drawer is 1" inch less than its nominal height.
The width of your tools determines the width of the cabinet to choose.
Refer to the icon for the usable dimensions you will have for your tools.
Leave sufficient space for gripping your tools.
We recommend 1 ½" on either side of the tool.

PRECONFIGURED CABINET OPTIONS

- Tool drawers



- Tool drawers and a large general-purpose drawer at the bottom



CABINET TOPS







DIMENSIONS		STEEL WITH RUBBER MAT	LAMINATED HARDWOOD	STAINLESS STEEL*	STAINLESS STEEL WITH MARINE EDGE**	PAINTED STEEL
30"	24"	RC32-3024-01	WS14-3024A	RC35-3024-__	RC35-3024-__M	RC37-3024
	27"	RC32-3027-01	WS14-3027A	RC35-3027-__	RC35-3027-__M	RC37-3027
36"	24"	RC32-3624-01	WS14-3624A	RC35-3624-__	RC35-3624-__M	RC37-3624
	27"	RC32-3627-01	WS14-3627A	RC35-3627-__	RC35-3627-__M	RC37-3627
42"	24"	RC32-4224-01	WS14-4224A	RC35-4224-__	RC35-4224-__M	RC37-4224
	27"	RC32-4227-01	WS14-4227A	RC35-4227-__	RC35-4227-__M	RC37-4227
48"	24"	RC32-4824-01	WS14-4824A	RC35-4824-__	RC35-4824-__M	RC37-4824
	27"	RC32-4827-01	WS14-4827A	RC35-4827-__	RC35-4827-__M	RC37-4827
54"	24"	RC32-5424-01	WS14-5424A	RC35-5424-__	RC35-5424-__M	RC37-5424
	27"	RC32-5427-01	WS14-5427A	RC35-5427-__	RC35-5427-__M	RC37-5427

NOTE: * To order a 12ga top, add "12" to the product number. Leave the number as is for a 16ga top.
** To order, specify the steel gauge required, 12ga or 16ga.



37 ½"H - TOOL DRAWERS

4	4"
2	5"

30"	24"	37½"	N5BBDE-3001L3A
30"	27"	37½"	N5BBDG-3001L3A
36"	24"	37½"	N5BBEE-3001L3A
36"	27"	37½"	N5BBEG-3001L3A
42"	24"	37½"	N5BBGE-3001L3A
42"	27"	37½"	N5BBGG-3001L3A
48"	24"	37½"	N5BBHE-3001L3A
48"	27"	37½"	N5BBHG-3001L3A
54"	24"	37½"	N5BBJE-3001L3A
54"	27"	37½"	N5BBJG-3001L3A



37 ½"H - TOOL DRAWERS AND STANDARD DRAWER

4	4"	-
1	-	10"

30"	24"	37½"	N5BBDE-3002L3A
30"	27"	37½"	N5BBDG-3002L3A
36"	24"	37½"	N5BBEE-3002L3A
36"	27"	37½"	N5BBEG-3002L3A
42"	24"	37½"	N5BBGE-3002L3A
42"	27"	37½"	N5BBGG-3002L3A
48"	24"	37½"	N5BBHE-3002L3A
48"	27"	37½"	N5BBHG-3002L3A
54"	24"	37½"	N5BBJE-3002L3A
54"	27"	37½"	N5BBJG-3002L3A



41 ½"H - TOOL DRAWERS

5	4"
2	5"

30"	24"	41½"	N5BBDE-3401L3A
30"	27"	41½"	N5BBDG-3401L3A
36"	24"	41½"	N5BBEE-3401L3A
36"	27"	41½"	N5BBEG-3401L3A
42"	24"	41½"	N5BBGE-3401L3A
42"	27"	41½"	N5BBGG-3401L3A
48"	24"	41½"	N5BBHE-3401L3A
48"	27"	41½"	N5BBHG-3401L3A
54"	24"	41½"	N5BBJE-3401L3A
54"	27"	41½"	N5BBJG-3401L3A



41 ½"H - TOOL DRAWERS AND STANDARD DRAWER

5	4"	-
1	-	10"

30"	24"	41½"	N5BBDE-3402L3A
30"	27"	41½"	N5BBDG-3402L3A
36"	24"	41½"	N5BBEE-3402L3A
36"	27"	41½"	N5BBEG-3402L3A
42"	24"	41½"	N5BBGE-3402L3A
42"	27"	41½"	N5BBGG-3402L3A
48"	24"	41½"	N5BBHE-3402L3A
48"	27"	41½"	N5BBHG-3402L3A
54"	24"	41½"	N5BBJE-3402L3A
54"	27"	41½"	N5BBJG-3402L3A


CHANGE CART

Change carts are used for a specific purpose. They are the link between the central store and tool cabinets, which are located next to press brakes, so the cabinets can be filled and emptied on a daily basis.

They have a wider wheelbase at the front of the cart to ensure perfect stability. The cart top has a tool tray and laminated hardwood top for easy tool preparation.

Two versions available :

- 02 (1.0) : Recommended for American-type tools. Hollow depth: 1.030".
- 01 (1.5) : Recommended for European, Wilson WT, Wila NS, Trumpf type tools. Hollow depth: 1.468".



NOTES: Refer to technical guide N55 to determine the tray best suited to your tool type.
The usable height of each drawer is 1" inch less than its nominal height.
Refer to the icon for the usable dimensions you will have for your tools.
Leave sufficient space for gripping your tools.

CHANGE CART WITH LAMINATED HARDWOOD TOP AND TOOL TRAY

36"	24"	41 ¼"	1.5	N5CBEE-3001L3A
			1.0	N5CBEE-3002L3A
42"	24"	41 ¼"	1.5	N5CBGE-3001L3A
			1.0	N5CBGE-3002L3A

36"	31½"	24"	41 ¼"
42"	37½"	24"	41 ¼"


4"	4	200 lb	


6"	1	200 lb	

36"	15"
42"	15"

36"	9"
42"	9"

6"






Always distribute the load evenly to prevent the mobile cabinet from tipping.

EXTRA PARTITIONS

Heavy-duty partitions (RG07) are used to separate tools and provide reinforcement at the bottom of the drawer to prevent it from buckling under a concentrated load.

- Specially designed for tool drawers (RF62).
- Screws in from underneath and to one end of the drawer.



30"	**25½"**	RG07-3003
36"	**31½"**	RG07-3603
42"	**37½"**	RG07-4203
48"	**43½"**	RG07-4803
54"	**49½"**	RG07-5403




RUBBER MAT

1/8" black neoprene mat for RF31 and RF62 drawers for protecting tools and items stored at the bottom of the drawer.

- Installs between partitions (RG07).
- Installs underneath bending tool trays (NC82).

30"	24"	RG58-3024
	27"	RG58-3027
36"	24"	RG58-3624
	27"	RG58-3627
42"	24"	RG58-4224
	27"	RG58-4227
48"	24"	RG58-4824
	27"	RG58-4827
54"	24"	RG58-5424
	27"	RG58-5427



ADJUSTABLE BENDING TOOL TRAYS

Stores punches and dies upright.

Can be adjusted to accommodate most tool tangs.

Includes a fixed central part and two adjustable parts on the sides. The position of the adjustable parts can be adjusted along the width (0.500" to 0.787") based on the tools stored by loosening the screws.

Includes perforations in the center where the tools middle section can be clipped in if needed.

Sits in the bottom of Rousseau heavy-duty drawers (RF31/RF32/RF62).

Multiple widths and depths are available so trays can be added to an existing Rousseau cabinet.

Two versions available:

- 10 (1.0) : Recommended for American-type tools. Hollow depth: 1.030".
- 15 (1.5) : Recommended for European, Wilson WT, Wila NS, Trumpf type tools. Hollow depth: 1.468".


30"	25½"	21"	6	NC82-302110
			6	NC82-302115
		27"	9	NC82-302710
			9	NC82-302715
36"	31½"	21"	6	NC82-362110
			6	NC82-362115
		24"	8	NC82-362410
			8	NC82-362415
		27"	9	NC82-362710
			9	NC82-362715
42"	37½"	24"	8	NC82-422410
			8	NC82-422415
		27"	9	NC82-422710
			9	NC82-422715
48"	43½"	24"	8	NC82-482410
			8	NC82-482415
		27"	9	NC82-482710
			9	NC82-482715
54"	49½"	24"	8	NC82-542410
			8	NC82-542415
		27"	9	NC82-542710
			9	NC82-542715


NOTES: Refer to technical guide N55 to determine the tray best suited to your tool type.


The usable height of each drawer is 1" inch less than its nominal height.

Refer to the icon for the usable dimensions you will have for your tools.


Leave sufficient space for gripping your tools.







NC82-____10



NC82-____15

MULTITEK CART

The MultiTek Cart provides an ergonomic way to transport and handle items and tools of different sizes. Lightweight and highly durable, it comes with a wide range of configurations and accessories to suit the unique needs of each work activity.

With a maximum load capacity of 600lb. and unrivaled versatility, it is the ideal companion to help you perform your daily tasks.





MATERIAL HANDLING CART

36"	24"	42"	
			RV-VM4200K109

2"	2
3"	2

5"

- For moving parts and tools over long distances.
- Sold non-assembled.

PREPARATION AND CONTROL STATION

31"	21"	54"	
			NRVB-NH4201L3B

2"	1
3"	1

4"	1

5"

- Includes utility panels and a document holder.
- The top shelf with protective polycarbonate top acts as a work surface.
- Includes an adjustable shelf with tool foam, which can hold a vernier, rulers, small measurement tools, and other tools required for the task at hand.
- Sold assembled

SHELF ACCESSORIES


PVC drawer liner



Protective foam



Tool foam for shelf




DRAWER ACCESSORIES


PVC drawer liner



Protective foam




Tool foam




STATIONARY CABINETS

Rousseau's modular cabinets boast a heavy-duty and distinctive design that is ideal for all environments. They are market-leading products thanks to the wide range of dimensions and accessories available, their modular design and, above all, their durability. The drawers have a load capacity of 400lb. each and can be opened to full extension.

400 lb








HEAVY-DUTY CABINET


48"	24"	40"	R5PHE-3806



4"	7
6"	1

HEAVY-DUTY CABINET


48"	24"	60"	R5AHE-5803



3"	2
4"	4
6"	4
8"	1

HEAVY-DUTY MULTI-DRAWER CABINET

54"	24"	46"	R5KJE-4403



54"		4"	2
24"		4"	1
		5"	3
		6"	2
30"		9"	1
		10"	1
		12"	1



MOBILE CABINET

Rousseau's R Heavy-Duty Mobile Cabinet is one of the safest and most secure on the market. The integrated lock-in mechanism activates with just one hand. With a simple upward movement with just one hand on one of the drawer's ergonomic handles, the drawer opens with incredible ease.

Fitted with high-quality, resistant casters, it has been designed for intensive use in harsh work environments.

LIFETIME WARRANTY
The Rousseau drawer rolling mechanism is covered by a lifetime warranty.

400 lb








HEAVY-DUTY TOOLBOX

36"	24"	39 ½"	R5BEE-3010





3"	1
4"	3
5"	1
6"	1




6"

HEAVY-DUTY TOOLBOX

60"	24"	39 ½"	R5GKE-3017





60"	3"	1
	6"	1
24"	3"	1
	4"	1
	9"	1
36"	3"	1
	4"	2
	5"	1




6"

HEAVY-DUTY MULTI-DRAWER TOOLBOX

48"	24"	37 ½"	R5GHE-3025





48"	4"	1
18"	3"	4
	4"	1
	5"	1
30"	3"	4
	9"	1



6"

WORKSTATION SYSTEMS

Whether you need a basic workbench consisting of two legs and a top, or a more specialized, height-adjustable table for stationary or mobile tasks, you will find a solution for every application.

You will love the versatility of our workbenches and their ability to evolve along with your business needs by simply adding one of our many easy-to-install accessories.







MAINTENANCE STATION

60"	30"	80"	EC2008C

		3"	2	
18"	21"	6"	1	100 lb
		12"	1	

- Includes 1 overhead LED light, 1 rail à outils, 1 upper storage cabinet, 1 laptop arm, 1 front backsplash, 1 utility panel, 10 hooks, 1 tiltable pan and 1 tiltable shelf.

SIDE TABLE

30"	18"	30"	WSA6101

1100 lb

- For placing parts before and after bending.

MOBILE SIDE TABLE

42"	30"	31¼"	WSW6101

500 lb

4"

- For placing and transporting parts before and after bending.



rousseau®

THINK
INNOVATION
DURABILITY
QUALITY

COMMANDER WAREHOUSE EQUIPMENT LTD.

CELEBRATING 50+ YEARS

CONTACT US

VANCOUVER

119-930 West 1st Street
North Vancouver, BC, V7P 3N4
P: (604) 980-8511
TF: 1 (800) 605-4822

SURREY

5225 192 Street,
Surrey, BC, V3S 8E5
P: (604) 574-5797
TF: 1 (800) 796-8010

VICTORIA

200-535 Yates Street,
Victoria, BC, V8W 2Z6
P: (250) 886-2208
TF: 1 (833) 846-2208

CALGARY

102-1437 47 Ave NE,
Calgary, AB, T2E 6N7
P: (403) 291-3223
TF: 1 (800) 605-4847

EDMONTON

3604 74 Ave NW,
Edmonton, AB, T6B 2P7
P: (780) 468-4395
TF: 1 (800) 580-1089

STANDARD COLORS

Colors may vary slightly from those shown.

Avalanche Blue **055**	Everest Blue **051**	Classic Blue **052**	Midnight Blue **057**	Glossy Sapphire Blue **560**	Glossy EverGreen **1025**	Black **091**
Beige **041**	Frost White **061**	Light Gray **071**	Modern Gray **745**	Charcoal Gray **072**	Glossy Carbon Black **741**	White **616**
Sienna Orange **085**	Flame Red **081**	Glossy Carmine Red **806**	Glossy Cranberry Red **815**	Glossy Yellow **208**	Glossy Black **902**	

ROUSSEAU METAL INC.

105, avenue de Gaspé Ouest
Saint-Jean-Port-Joli (Québec)
G0R 3G0 CANADA

WEBSITE
rousseau.com

CONFIGURATOR
MyModel-r.com

YouTube

7PN03A00
N03-JN25A